
DO NOT apply these patches on Windows 98 systems!

NOTE:1. Setup620_21-10001502.exe (1.75 MB) and Gui620_57-10001502.exe (44.6 MB) need to download from AASIS website before the installation can start.

2. You must have administrative rights to install the patches on Windows NT, 2000, and XP.

Section 1: Download the patches from AASIS

- Open your web browser and enter http://www.state.ar.us/dfa/aasis/aasis index.html in the address field.
- 2. Click "SAP GUI Patch 57 (October 2005)" under the "ASC General Information" Section.




 Click "Setup620_21-10001502.exe" under the "Released: October, 2005" section.



4. Click the "Save" button




5. Select the location path which you would like to save the file and click the "Save" button.




6. Repeat the same steps to download "GUI620_57-10001502.exe"

Section 2: Update the Setup part


1. Go to the folder where you saved the file "Setup620_21-10001502.exe" in Step 5 of Section 1. Then double click it.




2. Click the "Install" button.




3. It may take several minutes to complete the processes.



4. Click the "Finish" Button.




5. If you receive a message to re-start the computer, click the "Yes" button.



6. Your system will shutdown in 10 seconds.




7. After your system restart, click the "Finish" Button.




Section 3: Apply the GUI patch part


1. Go to the folder where you saved the file "GUI620_57-10001502.exe" in Step 5 of Section 1. Then double click it.




2. Click the "Install" Button



3. It may take several minutes to complete the processes.



4. Click the "Finish" Button



You have successful applied the patches. Please double click the SAPLogon-Pad and test the logon. If you have any problems, please contact AASIS helpdesk.